
MultiPurpose Disinfectant Cleaner (Ultra

Concentrate)



Printed: 02/27/2013 Revision: 02/27/2013 Supercedes Revision: 01/04/2012

Page: 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product Code: MP01:MP32:MP86:MPV01

Product Name: MultiPurpose Disinfectant Cleaner (Ultra Concentrate)

Manufacturer Information

Company Name: Custom Chemical Solutions LLC

167 Commerce Boulevard

Loveland, OH 45140

Emergency Contact: Chemtrec (800)424-9300

Preparer Name: Custom Chemical Solutions (800)291-1057

Intended Use: Multi-Purpose Cleaner/Disinfectant

Part Number: AMEMP01 CCSMP01 AMEMP32 CCSMP32 AMEMP86 AMEMPV01

Revision Date: 02/27/2013

2. HAZARDS IDENTIFICATION

Emergency Overview:

Danger! Corrosive. Causes skin and eye burns. May cause respiratory tract irritation. Harmful if swallowed. May cause severe digestive tract irritation with possible burns.

Target Organs: Eyes, skin, mucous membranes.

Potential Health Effects (Acute and

Chronic):

Eyes. May cause chemical burn. May cause blindness.

Skin: May cause chemical burn. Brief exposure may cause irritation and

defatting of the skin.

Ingestion: Harmful if swallowed. May cause gastrointestinal irritation with

nausea, vomiting and diarrhea. May cause chemical burn.

Inhalation: May cause respiratory tract irritation. High concentrations may lead

to central nervous system effects (dizziness, nausea, headaches).

Chronic: Prolonged or repeated skin contact may cause dermatitis.

LD 50 / LC 50: Refer to Section 11.

Signs and Symptoms Of Exposure: Burns and irritation. Blurred vision. Headache. Dizziness. Drowsiness. Nausea,

vomiting, diarrhea.

Medical Conditions Generally

Aggravated By Exposure:

None known.

OSHA Regulatory Status: This material is classified as hazardous under OSHA regulations.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Components (Chemical Name)

CAS#

Concentration

1. Sodium Carbonate

497-19-8 1.0 -5.0 %

MultiPurpose Disinfectant Cleaner (Ultra

Printed: 02/27/2013 Revision: 02/27/2013 **Concentrate**) Supercedes Revision: 01/04/2012

Page: 2

Hazardous Components (Chemical Name) CAS# Concentration 2. Tetrasodium ethylendiamine tetraacetate 64-02-8 1.0 -5.0 % Alkyl dimethyl ethylbenzyl ammonium chloride 68956-79-6 3.0 -7.0 % Alkyl dimethyl benzyl ammonium chloride 68391-01-5 3.0 -7.0 % Alcohols, C10-14, ethoxylated 66455-15-0 7.0 -13.0 %

4. FIRST AID MEASURES

Emergency and First Aid Procedures:

Eyes: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid immediately.

Skin: Immediately flush with plenty of water for at least 15 minutes. Get medical aid.

Ingestion: Do NOT induce vomiting. If fully conscious, rinse mouth out with water and drink 2 glasses. Get medical aid immediately.

Inhalation: Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. Get medical aid.

5. FIRE FIGHTING MEASURES

> 200.00 F (93.3 C) Method Used: Estimate Flash Pt:

LEL: N.D. UEL: N.D. **Explosive Limits:**

Autoignition Pt: NA

As in any fire, wear a self-contained breathing apparatus in pressure-demand, **Fire Fighting Instructions:**

MSHA/NIOSH (approved or equivalent), and full protective gear.

Flammable Properties and Hazards: Not flammable by WHMIS/OSHA criteria.

Hazardous Combustion Products: Sodium oxide. Carbon dioxide. Carbon monoxide. Nitrogen oxides.

Suitable Extinguishing Media: Dry chemical or foam. Water fog. CO2. Do NOT use straight streams of water. **Unsuitable Extinguishing Media:**

6. ACCIDENTAL RELEASE MEASURES

Steps To Be Taken In Case Material Use proper personal protective equipment as indicated in Section 8.

Is Released Or Spilled:

Spills/Leaks: Keep unauthorized personnel away. Do not touch or walk through spilled material. Stop leak if you can do it without risk. Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container.

7. HANDLING AND STORAGE

Precautions To Be Taken in Handling:

Do not get in eyes, on skin, or on clothing. Do not ingest or inhale. Wash

thoroughly after handling.

Precautions To Be Taken in

Store in a cool, dry, well-ventilated area away from incompatible substances.

Storing:

Store in a tightly closed container.

8. EXPOSURE CONTROL S/PERSONAL PROTECTION

	or Extraodict South Country I to Team of the C									
Ha	zardous Components (Chemical Name)	CAS#	OSHA PEL	ACGIH TLV	Other Limits					
1.	Sodium Carbonate	497-19-8	15 mg/m3 (T); 5 mg/m3 (R)	No data.	No data.					
2.	Tetrasodium ethylendiamine tetraacetate	64-02-8	No data.	No data.	No data.					
3.	Alkyl dimethyl ethylbenzyl ammonium chloride	68956-79-6	No data.	No data.	No data.					
4.	Alkyl dimethyl benzyl ammonium chloride	68391-01-5	No data.	No data.	No data.					
5.	Alcohols, C10-14, ethoxylated	66455-15-0	No data.	No data.	No data.					

MultiPurpose Disinfectant Cleaner (Ultra

Concentrate)

Printed: 02/27/2013 Revision: 02/27/2013 Supercedes Revision: 01/04/2012

Page: 3

Respiratory Equipment (Specify

Type):

Use a NIOSH/MSHA approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be

followed whenever workplace conditions warrant respirator use.

Eye Protection: Wear chemical goggles.

Protective Gloves: Wear appropriate protective gloves to prevent skin exposure.

Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls (Ventilation

etc.):

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate general or local exhaust ventilation

to keep airborne concentrations below the permissible exposure limits.

Work/Hygienic/Maintenance

Practices:

General industrial hygiene practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical States: [] Gas [X] Liquid [] Solid

Melting Point:

Boiling Point:

NA

Decomposition Temperature:

NA

Autoignition Pt:

NA

Flash Pt: > 200.00 F (93.3 C) Method Used: Estimate

Specific Gravity (Water = 1): 1.06

Density: 66.14 LB/CF

Vapor Pressure (vs. Air or mm Hg): NA
Vapor Density (vs. Air = 1): NA
Evaporation Rate: NA
Solubility in Water: NA
Percent Volatile: 2.1 %
Saturated Vapor Concentration: NA
Viscosity: NA
Octanol/Water Partition Coefficient: NA

pH: 9.5 - 11.5

Appearance and Odor: Appearance: Clear. Yellow.

Odor: Citrus. Odor Threshold: {NA}

10. STABILITY AND REACTIVITY

Stability: Unstable [] Stable [X]

Conditions To Avoid - Instability: Excess heat.

Incompatibility - Materials To Avoid: Acids. Strong oxidizing agents. Metals. Reducing agents.

Hazardous Decomposition Or

Byproducts:

Carbon monoxide. Carbon dioxide, Hydrogen chloride. Sodium oxide.

Possibility of Hazardous Reactions: Will occur [] Will not occur [X]

Conditions To Avoid - Hazardous Product will not undergo polymerization.

Reactions:

MultiPurpose Disinfectant Cleaner (Ultra

Concentrate)

Page: 4

Printed: 02/27/2013 Revision: 02/27/2013 Supercedes Revision: 01/04/2012

11. TOXICOLOGICAL INFORMATION

Toxicological Information:

Ingredient: CAS# 66455-15-0 Alcohols, C10-14, ethoxylated:

Oral, rat: LD50 2000-5000 mg/kg; Dermal, rabbit: LD50 >2000 mg/kg.

Ingredient: CAS# 64-02-8 Tetrasodium ethylendiamine tetraacetate:

Rat, oral: LD50 >2000 mg/kg.

Ingredient: CAS# 497-19-8 Sodium Carbonate:

Inhalation, rat: LC50 2300 mg/m3; Oral, rat: LD50 2800 mg/kg; Dermal, rabbit:

LD50 >2000 mg/kg.

Ingredient: Ammonium Chlorides:

Oral, rat: LD50 507 mg/kg; Dermal, rat: LD50 >2000 mg/kg.

Chronic Toxicological Effects:

No data available.

Hazardous Components (Chemical Name)	CAS#	NTP	IARC	ACGIH	OSHA
Sodium Carbonate	497-19-8	No	No	No	No
2. Tetrasodium ethylendiamine tetraacetate	64-02-8	No	No	No	No
3. Alkyl dimethyl ethylbenzyl ammonium chloride	e 68956-79-6	No	No	No	No
4. Alkyl dimethyl benzyl ammonium chloride	68391-01-5	No	No	No	No
5. Alcohols, C10-14, ethoxylated	66455-15-0	No	No	No	No
Carcinogenicity:	NTP? No	IARC Monographs? No		OSHA Regulated? No	

12. ECOLOGICAL INFORMATION

General Ecological Information:

Ecotoxicity:

Ingredient: CAS# 497-19-8 Sodium Carbonate:

LC50 Daphnia magna: 265-565 mg/L 96-H; LC50 Bluegill sunfish: 300-320

mg/L.

Ingredient: CAS# 64-02-8 Tetrasodium ethylendiamine tetraacetate: LC50

fathead minnue: >100 mg/L

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method:

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

14. TRANSPORT INFORMATION

LAND TRANSPORT (US DOT)

DOT Proper Shipping Name Consumer Commodity ORM-D.

LAND TRANSPORT (Canadian TDG)

TDG Shipping Name Limited Quantity.

Additional Transport Information: ORM-D.

15. REGULATORY INFORMATION

Canadian WHMIS Classification

MultiPurpose Disinfectant Cleaner (Ultra

Concentrate)

Page: 5
Printed: 02/27/2013

Revision: 02/27/2013 Supercedes Revision: 01/04/2012

CLASS E: Corrosive Materials

EPA Hazard Categories: This material meets the EPA 'Hazard Categories' defined for SARA Title III

Sections 311/312 as indicated:

[X] Yes [] No Acute (immediate) Health Hazard [] Yes [X] No Chronic (delayed) Health Hazard

[] Yes [X] No Fire Hazard

[] Yes [X] No Sudden Release of Pressure Hazard

[] Yes [X] No Reactive Hazard

Regulatory Information Statement: Inventory Country Inventory Name On inventory (Y/N)

Canada Domestic Substances List (DSL) Y
Canada Non-Domestic Substances List (NDSL) N
United States Toxic Substances Control Act (TSCA) inventory Y.

16. OTHER INFORMATION

Exposure Limit Definitions for "Particulates not otherwise regulated":

T- Total dust

R- Respirable dust.

Company Policy or Disclaimer

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Expiration Date: 01 May 2014

N.A.=Not available, N.P.=Not applicable, N.D.=Not determined, N.E.=Not established, N.R.=Not required